

PNEUMATIC INDUSTRIAL VACUUM CLEANERS

WD AIR

COMPRESSED AIR WET VACUUM



APPLICAZIONE
Liquids




CAPACITA'
130Lt

VANTAGGI

- 130 liters of liquid collection capacity
- High-strength steel construction
- Dual of interchangeable liquid/solid filtration system
- Powered by compressed air

HIGHLIGHTS



SUCTION UNIT

Suction is generated by two ejectors which generate, without the use of mechanical elements, a considerable vacuum inside the chamber, thus making suction possible.



DUST/LIQUID FILTRATION KIT

Supplied with two washable filters, one polypropylene for liquid suction and one polyester for dust suction.



COLLECTION UNIT

The material is collected inside a large coated steel container that is easy to move thanks to the 4 sturdy wheels.



LIQUID DISCHARGE VALVE

A ball valve located at the bottom of the container allows the collected liquids to be easily discharged by gravity.

TECHNICAL DATA

MOTORE

Tipologie	Venturi ejector
Vuoto in continuo	500 mBar
Massima portata d'aria	250 m ³ /h
Livello di rumorosità	78 dB(A)
Aria richiesta	2500 lt/min
Pressione richiesta	6 - 8 Bar

MACCHINA

Bocca aspirante	70 Ø mm
Sistema di raccolta	Steel container
Capacità	130 Lt
Sistema di scarico liquidi	Discharge valve
Dimensioni	660 x 800 mm
Altezza	1200 mm
Peso	62 Kg

FILTRAZIONE

Tipologia filtro primario	Bag
Classe filtrazione EN 60335-2-69	M
Media	Polyester
Filtro aggiuntivo	Anti-foam filter

DOTAZIONI



DEFLECTOR
Internal deflector to protect the filter



PUSH HANDLE



COMPRESSED AIR SUPPLY VALVE



WHEEL WITH BRAKE
Non-marking wheel with integrated brake



WHEELS
Non-marking pivoting wheels



STEEL CONSTRUCTION
Rugged industrial coated steel construction



FLT
Floater device

OPTIONS

STRUCTURE AND OPTIONS



3 YEARS WARRANTY
Purchasing the replacement filter along with the vacuum



BX
Stainless steel bin AISI 304



GRD
Grounding

ACCESSORIES



P10867

IRON REDUCER Ø 70/40MM

Reducer for vacuum quick fitting in galvanised steel 70/40 mm diameter



P10866

IRON REDUCER Ø 70/50MM

Reducer for vacuum quick fitting in galvanised steel 70/50 mm diameter



P13639

WET & DRY KIT Ø 40MM

Kit containing specific accessories for 40 mm diameter solids and liquids vacuuming



P11887

WET & DRY KIT Ø 50MM

Kit containing specific accessories for 50 mm diameter solids and liquids vacuuming