

WELDING FUME EXTRACTORS

# AIR WELD

## INDUSTRIAL FUME EXTRACTOR FOR WELDING FUMES



Guarda il video!




**POTENZA**  
1,3 kW - 1,5 HP



**APPLICAZIONE**  
Welding fumes

**VANTAGGI**


- Effective extraction of welding fumes
- Filter with large filtering surface for maximum safety
- 3-meter articulated arm for maximum ease of use
- Counter to indicate when the filter needs changing

**HIGHLIGHTS**

**SUCTION UNIT**

The suction is generated by a specially designed electric fan to ensure the best air flow rate while maintaining a good vacuum level.


**FILTER UNIT**

A special very high surface area M-class filter cartridge lined with a regenerable coalescing washing mat captures the remaining microneedles.


**ARTICULATED ARM**

A long suction arm facilitates positioning to vacuum directly to the source and avoid dust/fume dispersion into the work environment

**TECHNICAL DATA**
**MOTORE**

Tipologie	Electric Fan
Potenza	1,3 kW - 1,5 HP
Frequenza	50/60 Hz
Voltaggio	400 V
Massima portata d'aria	1400 m3/h
Livello di rumorosità	72 dB(A)

**MACCHINA**

Bocca aspirante	160 Ø mm
Dimensioni	700 x 750 mm
Altezza	900 mm
Peso	80 Kg

**FILTRAZIONE**

Tipologia filtro primario	Cartridge
Superficie filtrante	120000 cm2
Classe filtrazione EN 60335-2-69	M
Media	cellulose

**DOTAZIONI**



**PLUG**  
4-pole industrial plug



**POWER SUPPLY CABLE**



**WHEEL WITH BRAKE**  
Non-marking wheel with integrated brake



**WHEELS**  
Non-marking pivoting wheels



**STEEL CONSTRUCTION**  
Rugged industrial coated steel construction

**OPTIONS**

**AVAILABLE FILTER MEDIA**



**ACB**  
Active carbon filter

## STRUCTURE AND OPTIONS

**60**  **HZ**

**60HZ**


Available in 60Hz version



**3 YEARS WARRANTY**

Purchasing the replacement filter along with the vacuum

## ACCESSORIES



**P12000**

**SUCTION HOOD (400X50MM)**

Galvanised steel suction hood for welding fumes or suspended dusts. Connection for 50mm diameter pipe with bracket and magnet for positionin ...



**P12336**

**SUCTION ARM Ø 160MM/L 3M**

160mm diameter suction arm jointed in three parts for a total length of 3 metres, equipped with an articulated hood and valve for adjusting ...