

CENTRAL VACUUM SYSTEMS

DV AIR WB Filtering Pre-Separator with Container





VANTAGGI

- Very high filtration efficiency with automatic cleaning system
- Side hatch for easy maintenance and filter replacement
- Simple maintenance
- Convenient detachable container for managing the vacuumed material

HIGHLIGHTS



REQUIRES SUCTION UNIT

This unit performs filtration and collection function, but requires coupling with an external vacuum unit.



FILTER UNIT

High-efficiency Class M cartridges ensure maximum dust filtration. A practical hatch facilitates maintenance and replacement operations and avoids the need to remove the cover above, making maintenance operations easier.



SP FILTER CLEANING SYSTEM

Automatic filter cleaning system in reverse flow of air at 6 bar (compressed air not supplied as standard). Each filter is cleaned at regular, alternately adjustable intervals without interrupting suction. Ideal for fine and difficult dust.



COLLECTION UNIT

The material is collected inside a coated bin complete with a handle that allows it to be released. Thanks to the 4 sturdy pivoting wheels, the bin can be moved with ease and the collected material can then be disposed of.

TECHNICAL DATA


MACCHINA	
Bocca aspirante in entrata	130
Bocca aspirante in uscita	130 Ø mm
Sistema di raccolta	Steel container
Capacità	175 Lt
Dimensioni	1185 x 1195 mm
Altezza	2850 mm
Peso	380 Kg

FILTRAZIONE

Tipologia filtro primario	4x Cartridges
Superficie filtrante	340000 cm2
Classe filtrazione EN 60335-2-69	М
Media	Antistatic polyester
Sistema Pulizia filtro	Automatic SP



DOTAZIONI



OPTIONS

