

ACCESSORIES

# SFC 450

## FILTER SEPARATOR WITH CONTAINER



**APPLICATION**  
Fine, dry and clogging  
powders




**CAPACITY**  
65Lt

## FEATURES

- Very high filtration efficiency
- Convenient detachable container for managing the vacuumed material

- Simple maintenance

## HIGHLIGHTS



### CYCLONIC EFFECT

The tangential inlet facilitates the deposition of the sucked material due to the cyclonic effect.



### FILTER UNIT

The tangential inlet facilitates the cyclonic effect to deposit the collected material in the container. Filtration is ensured by a polyester star filter in class M (filtering efficiency 1 micron) with high filtering surface area, which guarantees air passage even with a dirty filter.



### FILTER CLEANING SYSTEM

An ergonomic manual filter shaker allows the filter to be cleaned easily and quickly, removing dust and debris from the filter surface.



### COLLECTION UNIT

The material is collected inside a coated bin complete with a handle that allows it to be released. Thanks to the 4 sturdy pivoting wheels, the bin can be moved with ease and the collected material can then be disposed of.

## TECHNICAL DATA

### MACHINE

Intake suction inlet	80
Outlet suction inlet	70 Ø mm
Collection system	Steel container
Capacity	65 Lt
Dimensions	450 x 450 mm
Height	1514 mm

### FILTRATION

Primary filter type	Star
Filter surface	24000 cm2
EN 60335-2-69 filtration class	M
Media	Antistatic polyester

## FEATURES



**SP**  
Automatic reverse jet cleaning system

## ACCESSORIES



**P00277**  
**IRON REDUCER Ø 80/40MM**  
Reducer for vacuum quick fitting in  
galvanised steel 80/40 mm diameter



**P00278**  
**IRON REDUCER Ø 80/50MM**  
Reducer for vacuum quick fitting in  
galvanised steel 80/50 mm diameter



**P10867**  
**IRON REDUCER Ø 70/40MM**  
Reducer for vacuum quick fitting in  
galvanised steel 70/40 mm diameter



**P10866**  
**IRON REDUCER Ø 70/50MM**  
Reducer for vacuum quick fitting in  
galvanised steel 70/50 mm diameter